On the Creativity of Large Language Models

Giorgio Franceschelli ¹ and Mirco Musolesi ², ¹

¹University of Bologna, Italy ²University College London, United Kingdom giorgio.franceschelli@unibo.it, m.musolesi@ucl.ac.uk

Abstract

Large Language Models (LLMs) are revolutionizing several areas of Artificial Intelligence. One of the most remarkable applications is creative writing, e.g., poetry or storytelling: the generated outputs are often of astonishing quality. However, a natural question arises: can LLMs be really considered creative? In this article we firstly analyze the development of LLMs under the lens of creativity theories, investigating the key open questions and challenges. In particular, we focus our discussion around the dimensions of value, novelty and surprise as proposed by Margaret Boden in her work. Then, we consider different classic perspectives, namely product, process, press and person. We discuss a set of "easy" and "hard" problems in machine creativity, presenting them in relation to LLMs. Finally, we examine the societal impact of these technologies with a particular focus on the creative industries, analyzing the opportunities offered by them, the challenges arising by them and the potential associated risks, from both legal and ethical points of view.

Keywords: Large Language Models; Machine Creativity; Generative Artificial Intelligence; Foundation Models

1 Introduction

Language plays a vital role in how we think, communicate, and interact with others¹. It is therefore of no surprise that natural language generation has always been one of the prominent branches of artificial intelligence (Jurafsky and Martin, 2023). We have witnessed a very fast acceleration of the pace of development in the past decade culminated with the invention of transformers (Vaswani et al., 2017). The possibility of exploiting large-scale data sets and the availability of increasing computing capacity has led to the definition of the so-called foundation models, which are able to achieve state-of-the-art performance in a variety of tasks (Bommasani et al., 2021).

¹As remarked by ChatGPT itself when asked about the importance of language.

Among them, large language models (LLMs) are indeed one of the most interesting developments. They have captivated the imagination of millions of people, also thanks to a series of entertaining demonstrations and open tools released to the public. The examples are many from journal articles² to culinary recipes (Lee et al., 2020) and university-level essays³. LLMs have also been used to write papers about themselves writing papers (GPT-3 et al., 2022). They are commonly used for creative tasks like poetry or storytelling and the results are often remarkable⁴. Notwithstanding, it is not obvious whether these "machines" are truly creative, at least in the sense originally discussed by Ada Lovelace (Menabrea and Lovelace, 1843). LLMs have already been analyzed (and sometimes criticized) from different perspectives, e.g., fairness (Bender et al., 2021), concept understanding (Bender and Koller, 2020), societal impact (Tamkin et al., 2021), and anthropomorphism (Shanahan, 2022) just to name a few. However, a critical question has not been considered yet: *can LLMs be considered creative*?

By taking into account classic frameworks for analyzing creativity, such as Boden's three criteria (Boden, 2003) and other prominent cognitive science and philosophical theories (e.g., Amabile (1983); Csikszentmihalyi (1988); Gaut (2010)), we will try to answer this question. We will discuss the dimensions according to which we believe LLMs should be analyzed in order to be able to evaluate their level of machine creativity. To the best of our knowledge, this article represents one of the first investigations of the problem of LLM creativity from a theoretical and philosophical perspective.

The remainder of the paper is structured as follows. First, we briefly review the past developments in automatic text generation and artificial creativity (Section 2) that led to today's LLMs. Then, we analyze LLMs from the perspective of Boden's three criteria (Section 3), as well as considering other relevant philosophical theories (Section 4). Finally, we discuss the practical implications of LLMs for the arts, creative industries, design and, more in general, scientific and philosophical enquiry (Section 5). Section 6 concludes the paper, outlining the open challenges and a research agenda for the future years.

2 A Creative Journey from Ada Lovelace to Foundation Models

It was the year 1843 when Ada Lovelace wrote that the Analytical Engine (Babbage, 1864) "has no pretensions to originate anything. It can do whatever we know how to order it to perform" (Menabrea and Lovelace, 1843). This statement has then been defined as "Lovelace's objection" by Alan Turing, who also provided an alternative formulation: a machine can never "take us by surprise" (Turing, 1950). This was just the beginning of an ongoing philosophical discussion, which has often included psychological elements, around human creativity (Barron, 1955; Berlyne, 1960; Bruner, 1962; Newell et al., 1962; Stein, 1974), as well as computational creativity (Macedo et al., 2004; Wiggins, 2006; Jordanous, 2009; Boden, 2009; Maher, 2010; Colton and Wiggins, 2012).

In general, computer scientists have always been fascinated by the possibility of building machines able to express themselves through writing, e.g., by composing poems and short stories, creating paintings, and so on. In particular, the rise of automatic text generation was contextual to

²www.theguardian.com/commentisfree/2020/sep/08/robot-wrote-this-article-gpt-3

³https://www.theguardian.com/technology/2022/dec/04/ai-bot-chatgpt-stuns-academics-with-essay-writing-skills-and-usability

⁴see, for instance: https://www.gwern.net/GPT-3

the birth of personal computers. Examples include the Computerized Haiku by Margaret Masterman⁵, the storyteller TALE-SPIN (Meehan, 1977), Racter and its poems' book (Racter, 1984), and UNIVERSE, which was able to generate coherent and consistent characters (Lebowitz, 1983), just to name a few. Different techniques have been explored, from planning (e.g., Riedl and Young (2010)) and case-based reasoning (e.g., Turner (1994)) to evolutionary strategies (e.g., Manurung et al. (2012)). Some approaches combine all of them together (Gervás, 2013).

Only with the advent of neural networks and learning systems, we observed a real step-change. In particular, deep language models, i.e., probabilistic models of in-context token occurrences trained on a corpus of text with deep learning, easily allow to sample new text, facilitating and automating natural language generation. For instance, recurrent neural networks with long-short term memory (LSTM) (Hochreiter and Schmidhuber, 1997) or gated-recurrent units (GRUs) (Cho et al., 2014) can predict next character (Karpathy, 2015), word (Potash et al., 2015), syllables (Zugarini et al., 2019), or events (Martin et al., 2018) given previous ones, allowing to compose text that spans from short movie scripts to knock-knock jokes (Miller, 2019). Other successful generative methods include generative adversarial networks (GANs) (Yu et al., 2017; Zhang et al., 2017) and variational auto-encoders (VAEs) (Bowman et al., 2016; Semeniuta et al., 2017). We refer the interested reader to (Franceschelli and Musolesi, 2021) for an in-depth survey of deep learning techniques applied to creative artifacts.

These models tend to scale poorly to long sequences, and they are often not able to capture the entire context. For this reason, current state-of-the-art language models make use of attention (Bahdanau et al., 2015) and transformers (Vaswani et al., 2017). In the recent years, several models based on these mechanisms have been proposed. They usually rely on a very large number of parameters and trained on corpus datasets of greater and greater size (Devlin et al., 2019; Radford et al., 2019; Shoeybi et al., 2019; Brown et al., 2020; Raffel et al., 2020; Rosset, 2020; Rae et al., 2021; Chowdhery et al., 2022; Du et al., 2022; Hoffmann et al., 2022; Smith et al., 2022; Thoppilan et al., 2022). Although such models can be used with zero-shot or few-shot learning to produce poems and stories (Swanson et al., 2021), the problem of adaptation has been central to their development. LLMs can involve re-training by means of plug-and-play attribute classifiers (Dathathri et al., 2020); re-training to produce paragraphs coherent with a given outline (Rashkin et al., 2020); fine-tuning with specific corpora for writing specific text (Sawicki et al., 2022; Wertz and Kuhn, 2022); or fine-tuning to maximize human preferences (Ziegler et al., 2019) or to generate specific literary outputs, such as poetry (Pardinas et al., 2023). Nonetheless, the most impressive current derived model is ChatGPT⁶, an interactive version of GPT-3 (Brown et al., 2020) fine-tuned with reinforcement learning with human feedback (Stiennon et al., 2020), then further improved in GPT-4 (OpenAI, 2023). Even though the main goal of the model is to improve conversational skills while mitigating mistakes and biases, its ability in producing on-demand poems, songs, or novels has led it to remarkable global popularity⁷. Many companies are releasing their language models at the time of writing (e.g., Google's Bard⁸); the competition is intensifying day by day.

⁵http://www.in-vacua.com/cgi-bin/haiku.pl

⁶https://openai.com/blog/chatgpt/

⁷https://www.forbes.com/sites/martineparis/2023/02/03/chatgpt-hits-100-million-microsoft-unleashes-ai-bots-and-catgpt-goes-viral/?sh=70994247564e

 $^{^8 {\}it https://bard.google.com}$

3 Large Language Models and Boden's Three Criteria

Margaret Boden defines creativity as "the ability to come up with ideas or artifacts that are *new*, *surprising* and *valuable*" (Boden, 2003). In other words, Boden implicitly derives criteria that can be used to identify a creative *product*. They suggest that creativity is about *novelty*, *surprise* and *value*. We will refer to them as Boden's three criteria. In the following, we will analyze to what extent state-of-the-art LLMs satisfy them and we will question if LLMs can be really considered creative.

Value refers to utility, performance, and attractiveness (Maher, 2010). It is also related to both the quality of the output, and its acceptance by the society. Due to the large impact LLMs are already having (Bommasani et al., 2021) and the quality of outputs of the systems based on them (Stevenson et al., 2022), it is possible to argue that the artifacts produced by them are indeed valuable.

Novelty refers to the dissimilarity between the produced artifact and other examples in its class (Ritchie, 2007). However, it can also be seen as the property of not being in existence before. This is considered in reference to either the person who comes up with it or the entire human history. The former is referred to as psychological creativity (shortened as *P-creativity*), whereas the latter as historical creativity (shortened as *H-creativity*) (Boden, 2003). While the difference appears negligible, it is substantial when discussing LLMs in general. Considering these definitions, a model writing a text that is not in its training set would be considered as P-novel, but possibly also H-novel, since LLMs are commonly trained on all available data. Their stochastic nature and the variety of prompts that are usually provided commonly lead to novel outcomes (McCoy et al., 2021); LLMs may therefore be capable of generating artifacts that are also new. However, one should remember how such models learn and generate. Even if prompted with the sentence "I wrote a new poem this morning:", they would complete it with what is most likely to follow such words, e.g., something close to what others have written in the past (Shanahan, 2022). It is a probabilistic process after all. The degree of dissimilarity would therefore be small by design. High values of novelty would be caused either by accidental, out-of-distribution productions, or by a careful prompting, i.e., one that would place the LLM in a completely unusual or unexpected (i.e., novel) situation.

Surprise instead refers to how much a stimulus disagrees with expectation (Berlyne, 1971). It is possible to identify three kinds of surprise, which correspond to three different forms of creativity. Combinatorial creativity involves making unfamiliar combinations of familiar ideas. Exploratory creativity requires finding new, unexplored solutions inside the current style of thinking. Transformational creativity is related to changing the current style of thinking (Boden, 2003). These three different forms of creativity involve surprise at increasing levels of abstraction: combining existing elements, exploring for new elements coherent with the current state of the field, and transforming the state of the field so as to introduce other elements. The autoregressive nature of classic LLMs make them unlikely to generate surprising products (Bunescu and Uduehi, 2019), since they are essentially trained to follow the current data distribution (Shanahan, 2022). By relying only on given distributions and being trained on them, LLMs might at most express combinatorial creativity. Of course, specific different solutions may be generated by means of prompting or conditioning. For instance, recent LLMs are able to write poems about mathematical theories, a skill that requires the application of a certain existing style to a given topic, yet leading to new and unexplored solutions. However, the result would hardly be unexpected for whom has prompted the text. For an external reader, the surprise would probably come by the idea of mathematical theories in verses, which is due to the user (or by the initial astonishment of a machine capable of it (Waite, 2019)).

Transformational creativity is not achievable by means of the current LLM training solutions. In theory, other forms of training or fine-tuning might circumvent this limitation, allowing the model to forget the learned rules in order to forge others. However, this is not the case of current models. For instance, ChatGPT is fine-tuned with Reinforcement Learning from Human Feedback (RLHF) (Stiennon et al., 2020). It consists of three steps: fine-tuning GPT-4 in a supervised fashion on human-produced answers to sampled questions; training a reward model to predict which among different texts is the most appropriate one based on human-labeled rankings; fine-tuning GPT-4 in order to maximize the learned reward. While in theory this could lead to potentially surprising generation, its strict alignment to very careful and pre-designed human responses leads to the generation of text that might be considered *banal* (Hoel, 2022).

In conclusion, while LLMs are capable of producing artifacts that are valuable, achieving novelty and surprise appears to be more challenging. It is possible to argue that LLMs may be deemed able to generate creative products if we assume the definition of combinatorial creativity. In order to achieve transformational creativity, alternative learning architectures are probably necessary; in fact, current probabilistic solutions are intrinsically limiting in terms of expressivity. We believe that this is a fundamental research area for the community for the years to come.

4 Easy and Hard Problems in Machine Creativity

LLMs might be able to generate creative products in the future. However, the fact they will be able to generate these outputs will not make them intrinsically creative. Indeed, as Floridi and Chiriatti (2020) puts it, it is not *what* is achieved but *how* it is achieved that matters. An interesting definition that considers both the what and how dimensions is the one from Gaut (2003): creativity is the capacity to produce original and valuable items by *flair*. Exhibiting flair means exhibiting a relevant purpose, understanding, judgement, and evaluative abilities. Such properties are highly correlated with those linked with process, i.e., motivation, perception, learning, thinking, and communication (Rhodes, 1961). Motivation is a crucial part of creativity, as it is the first stage of the process. Usually, it comes from an intrinsic interest in the task, i.e., the activity is interesting and enjoyable for its own sake (Deci and Ryan, 1985). However, LLMs lack the intention to write. They can only deal with "presented" problems, which are less conductive to creativity (Amabile, 1996). The process continues with the preparation step (reactivating store of relevant information and response algorithms), the response generation, and its validation and communication (Amabile, 1983). The last two steps allow to produce different response possibilities and to internally test them in order to select the most appropriate. Again, LLMs do not contain such self-feedback loop. At the same time, they are neither trained to directly maximize value, novelty or surprise. They only output content that is likely to follow given a stimulus in input (Shanahan, 2022). In other words, they stop at the first stage of creative learning, i.e., imitation, not implementing the remaining ones, i.e., exploration and intentional deviation from conventions (Riedl, 2018).

However, paraphrasing Chalmers (Chalmers, 1996), these appear as *easy* problems to solve in order to achieve creativity, since solutions to them can be identified by taking into consideration the underlying training and optimization processes. The *hard* problem in machine creativity is about the self-awareness of the creative process in itself. Indeed, a crucial aspect of the creative process is the perception and the ability of *self-evaluating* the generated outputs (Amabile, 1983). This can be seen as a form of creative self-awareness. While not strictly necessary to generate a response, this ability is essential in order to self-assess its quality, so as to correct it or to learn

from it. However, currently no LLM is able to self-evaluate its own responses. LLMs can in theory recognize certain limitations of their own texts after generating them. Then, they can try to correct, modify or rephrase the outputs if asked to do so (i.e., through an external intervention). However, they would do it only by guessing what is the most likely re-casting of such responses or through the application of a set of given rules. It is worth noting that this is something distinct from the problem of the potential emergence of theory of mind in these systems (Bubeck et al., 2023).

Indeed, product and process are not sufficient to explain creativity. Rhodes (1961) theorizes that four perspectives have to be considered: product (see Section 3) and process (discussed above), but also the so-called *press* and *person*. Press refers to the relationship between the product and the influence its environment has upon it (Rhodes, 1961). Individuals and their works cannot be isolated from the social and historical milieu in which their actions are carried out. Products have to be accepted as creative by the society, and producers are influenced by the previously accepted works, i.e., the domain (Csikszentmihalyi, 1988). The resulting system model of creativity is a never-ending cycle where individuals always base their works on knowledge from a domain, which constantly changes thanks to new and valuable artifacts (from different individuals). For example, individuals generate new works based on the current domain; the field (i.e., critics, other artists, the public, etc.) decides which of those works are worth promoting and preserving; the domain is expanded and, possibly, transformed by these selected works; individuals generate new works based on the updated current domain; and then this cycle repeats.

However, LLMs currently lack the ability of adapting through multiple iterations in the way described above; they just rely on one, fixed version of the domain and generate works based on it. The current generation of LLMs are *immutable* entities, i.e., once the training is finished, they remain frozen reflecting a specific state of the domain. In other words, they are not able to adapt to new changes. Few-shot, one-shot and zero-shot learning (Brown et al., 2020) do not update weights and are not useful for this task, though highly effective for a variety of others. Fine tuning actually updates network weights, but it requires a potentially large training dataset. Indeed, several current research efforts are in the direction of introducing adaptation for specific domains, tasks, cultural frameworks and so on. In order to be able to be part of the never-ending creative cycle mentioned above, LLMs should constantly adapt. Continual learning (Kirkpatrick et al., 2017; Shin et al., 2017) for LLMs (Sun et al., 2020; Wu et al., 2022) represents a promising direction, yet unexplored for creative applications.

Finally, person covers information about personality, intellect, temperament, habits, attitude, value systems, and defense mechanisms (Rhodes, 1961). While several of the properties of press and process might be achieved - or at least simulated - by generative learning solutions, those related with the creative person appear out of discussion. All the properties listed above require some forms of consciousness and self-awareness, which are difficult to define in themselves and are related to the *hard* problem introduced before. Creative-person qualities in Generative AI might eventually be the ultimate step in achieving human-like intelligence.

5 Practical Implications

The application of large language models to fields like literature or journalism opens up a series of practical questions. Since LLMs can be used to produce artifacts that would be protected if made by humans, a first concern is the definition of legal frameworks in which they will be used. Copyright for Generative AI is currently a hotly debated topic (Guadamuz, 2017; Franceschelli

and Musolesi, 2022), due to the fact that current laws do not contemplate works produced by non-human beings (with few notable exceptions (Bond and Blair, 2019)). Copyright applies to creative works of authorship (as referred to in the US Copyright Code), i.e., works showing a minimum degree of originality (Gervais, 2002) and reflecting author's personality (Deltorn, 2017). As discussed earlier, current LLMs might satisfy the first condition, but they cannot be considered as creative persons, therefore missing the latter requirement. For this reason, works produced by LLMs can be protected if and only if the original contribution is provided by a human, e.g., the user who writes the prompt that is used as input of the model, who in turn will be the rights holder. The definition of the criteria for classifying a source of originality is a fundamental problem, since there is a clear need to discriminate between protected and publicly available works.

While a higher degree of novelty is not necessary for claiming protection, it might be crucial for other legal aspects. In particular, LLMs are trained in a supervised fashion on real data, which also include protected works. Apart from questions upon the legitimacy of such training (Franceschelli and Musolesi, 2022), LLMs may learn to reproduce portions of them (Liang et al., 2022). This would violate their reproduction or adaptation right (Bonadio and McDonagh, 2020). A different, creative-oriented training approach should mitigate such risk, also facilitating fair-use doctrine application (Asay et al., 2020).

Whether or not LLM works obtain protection, we believe their societal impact will be tremendous (see also Newton and Dhole (2023)). We have a positive view in terms of the applications of LLMs, but there are intrinsic risks related to their adoption. It is apparent that since LLMs are able to write articles or short stories, as the quality of their inputs gets better and better, there is the risk that certain jobs in the professional writing industry will essentially disappear (Tamkin et al., 2021). However, we must remind that current LLMs are not as reliable as humans, e.g., they cannot verify their information and they can propagate biases from training data. In addition, the quality of the output strictly depends on the prompt, which might in turn demand human skills and more time. Writers can be threaten as well. Though not in violation of copyright, LLMs may exploit certain ideas from human authors, capitalizing on their efforts in ways that are less expensive or time-consuming (Weidinger et al., 2022). The questionable creative nature of LLMs discussed so far might suggest artificial works to be of less quality than humans, therefore not providing a real threat. Nonetheless, more creative LLMs would diverge more consistently from existing works, reducing the risk of capitalizing on others' ideas. The lack of current copyright protection to generated works can also foster such replacements for tasks where a free-of-charge text would be preferable to a high-quality (but still costly) one. Finally, one last threat may be posed by human and artificial works being indistinguishable (Dehouche, 2021). The users obtaining such outputs might therefore claim them as the authors, e.g., for deceiving readers (Grinbaum and Adomaitis, 2022), for cheating during exams, or for improving bibliometric indicators (Crothers et al., 2022). Mitigation of such threats through dedicated policies⁹ or designed mechanisms of watermarks (Kirchenbauer et al., 2023) are already being developed.

However, as we said, we believe that, overall, the impact of these technologies will be positive. LLMs also provide several opportunities for creative activities. Given their characteristics, humans are still required, especially for prompting, curation, and pre-/post-production. This means that the role of writers and journalists may be transformed, but not replaced. On the contrary, LLMs provide new opportunities for humans, who will be able to spend more time validating news or thinking up and testing ideas. LLMs can also adapt the same text to different styles (see combi-

 $^{^9 {\}rm https://bigscience.huggingface.co/blog/the-bigscience-rail-license}$

natorial creativity in Section 3): by doing so, an artifact can be adapted in order to reach wider audiences. In the same way, LLMs also represent a valuable tool in scientific research, especially for hypothesis generation (Gero et al., 2022).

Indeed, we believe that LLMs can also foster human-AI co-creativity (Lee et al., 2022), since they can be used to write portions of stories in order to serve specific purposes, e.g., they can typify all the dialogues from a character, or they can provide more detailed descriptions of scenes (Calderwood et al., 2020). Dialogue systems based on LLMs can be used for brainstorming. In the same way, the generated responses may augment writers' inherently multiversal imagination (Reynolds and McDonell, 2021). LLMs can also represent a source of inspiration for plot twists, metaphors (Chakrabarty et al., 2023), or even entire story plans (Mirowski et al., 2022), even though they sometimes appear to fail in accomplishing these tasks at human-like level (Ippolito et al., 2022). Being intrinsically powerful tools, through human-AI co-creation, LLMs may eventually allow to develop entire new arts, as it has been the case for any impactful technology in the past centuries (Eisenstein, 1979; Silva, 2022).

6 Conclusion

The latest generation of LLMs is attracting increasing interest from both AI researchers and the general public due to the astonishing quality of their productions. Questions naturally arise around the actual creativity of these technologies. In this paper, we have discussed whether or not LLMs can actually be deemed as creative; we started from considering Boden's three criteria, i.e., value, novelty, and surprise. While LLMs are capable of value and of a weak version of novelty and surprise, their inner autoregressive nature seems to prevent them from reaching transformational creativity. Then, we have examined perspectives beyond the creativity of their products. A creative process would require motivation, thinking, and perception, properties that current LLMs do not possess. The social dimension of creativity (usually refer to as the press) would demand to be placed in and influenced by a society of creative agents, requiring LLMs adaptive abilities that are only at a very initial stage. We have also framed the problem of creativity in LLMs, and, more in general, machine creativity, in terms of easy problems, i.e., the technical advancements that will be needed to support algorithmic generation of outputs, and the intrinsic hard problem of introducing forms of self-awareness in the creation process itself.

In addition, we have also investigated practical implications of LLMs and their creative role, considering both legal and societal impacts. In fact, the current legal framework does not appear to be completely suited to the fast moving field of Generative AI. Moreover, the impact of these technologies for creative professions and the arts is difficult to forecast at this stage, but will definitely be considerable. However, LLMs also provide opportunities for writers, especially in terms of human-AI co-operation. Specific fine-tuning techniques might help LLMs diversify productions and explore the conceptual space they learn from data. Continual learning can enable long-term deployments of LLMs in a variety of contexts. While of course all these techniques would only simulate certain aspects of creativity, whether this would be sufficient to achieve artificial, i.e., non-human, creativity, is up to the humans themselves.

References

- T. M. Amabile. The social psychology of creativity: A componential conceptualization. *Journal of Personality and Social Psychology*, 45(2):357–376, 1983.
- T. M. Amabile. Creativity In Context. Routledge, 1996.
- C. D. Asay, A. Sloan, and D. Sobczak. Is transformative use eating the world? *Boston College Law Review*, 61(3):905–970, 2020.
- C. Babbage. Of the analytical engine. In *Passages from the Life of a Philosopher*, volume 3, pages 112–141. Longman, Green, Longman, Roberts, & Green, 1864.
- D. Bahdanau, K. Cho, and Y. Bengio. Neural machine translation by jointly learning to align and translate. In *Proceedings of the 3rd International Conference on Learning Representations (ICLR'15)*, 2015.
- F. Barron. The disposition toward originality. Journal of Abnormal Psychology, 51(3):478-485, 1955.
- E. M. Bender and A. Koller. Climbing towards NLU: On meaning, form, and understanding in the age of data. In *Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics (ACL'20)*, pages 5185–5198, 2020.
- E. M. Bender, T. Gebru, A. McMillan-Major, and S. Shmitchell. On the dangers of stochastic parrots: Can language models be too big? In *Proceedings of the 2021 ACM Conference on Fairness, Accountability, and Transparency (FAccT'21)*, page 610–623, 2021.
- D. E. Berlyne. Conflict, Arousal, and Curiosity. McGraw-Hill Book Company, 1960.
- D. E. Berlyne. Aesthetics and Psychobiology. Appleton-Century-Crofts, New York, NY, 1971.
- M. A. Boden. *The Creative Mind: Myths and Mechanisms*. Routledge, 2003.
- M. A. Boden. Computer models of creativity. AI Magazine, 30(3):23–34, 2009.
- R. Bommasani, D. A. Hudson, E. Adeli, R. Altman, S. Arora, S. von Arx, M. S. Bernstein, J. Bohg, A. Bosselut, E. Brunskill, E. Brynjolfsson, S. Buch, D. Card, R. Castellon, N. Chatterji, A. Chen, K. Creel, J. Q. Davis, D. Demszky, C. Donahue, M. Doumbouya, E. Durmus, S. Ermon, J. Etchemendy, K. Ethayarajh, L. Fei-Fei, C. Finn, T. Gale, L. Gillespie, K. Goel, N. Goodman, S. Grossman, N. Guha, T. Hashimoto, P. Henderson, J. Hewitt, D. E. Ho, J. Hong, K. Hsu, J. Huang, T. Icard, S. Jain, D. Jurafsky, P. Kalluri, S. Karamcheti, G. Keeling, F. Khani, O. Khattab, P. W. Koh, M. Krass, R. Krishna, R. Kuditipudi, A. Kumar, F. Ladhak, M. Lee, T. Lee, J. Leskovec, I. Levent, X. L. Li, X. Li, T. Ma, A. Malik, C. D. Manning, S. Mirchandani, E. Mitchell, Z. Munyikwa, S. Nair, A. Narayan, D. Narayanan, B. Newman, A. Nie, J. C. Niebles, H. Nilforoshan, J. Nyarko, G. Ogut, L. Orr, I. Papadimitriou, J. S. Park, C. Piech, E. Portelance, C. Potts, A. Raghunathan, R. Reich, H. Ren, F. Rong, Y. Roohani, C. Ruiz, J. Ryan, C. Ré, D. Sadigh, S. Sagawa, K. Santhanam, A. Shih, K. Srinivasan, A. Tamkin, R. Taori, A. W. Thomas, F. Tramèr, R. E. Wang, W. Wang, B. Wu, J. Wu, Y. Wu, S. M. Xie, M. Yasunaga, J. You, M. Zaharia, M. Zhang, T. Zhang, X. Zhang, Y. Zhang, L. Zheng, K. Zhou, and P. Liang. On the opportunities and risks of foundation models, 2021. arXiv:2108.07258 [cs.LG].

- E. Bonadio and L. McDonagh. Artificial intelligence as producer and consumer of copyright works: Evaluating the consequences of algorithmic creativity. *Intellectual Property Quarterly* 2020, 2:112–137, 2020.
- T. Bond and S. Blair. Artificial intelligence & copyright: Section 9(3) or authorship without an author. *Journal of Intellectual Property Law & Practice*, 14(6):423–423, 2019.
- S. R. Bowman, L. Vilnis, O. Vinyals, A. M. Dai, R. Jozefowicz, and S. Bengio. Generating sentences from a continuous space. In *Proceedings of the 20th SIGNLL Conference on Computational Natural Language Learning (CoNNL'16)*, pages 10–21, 2016.
- T. Brown, B. Mann, N. Ryder, M. Subbiah, J. D. Kaplan, P. Dhariwal, A. Neelakantan, P. Shyam, G. Sastry, A. Askell, S. Agarwal, A. Herbert-Voss, G. Krueger, T. Henighan, R. Child, A. Ramesh, D. Ziegler, J. Wu, C. Winter, C. Hesse, M. Chen, E. Sigler, M. Litwin, S. Gray, B. Chess, J. Clark, C. Berner, S. McCandlish, A. Radford, I. Sutskever, and D. Amodei. Language models are few-shot learners. In *Advances in Neural Information Processing Systems (NIPS'20)*, pages 1877–1901, 2020.
- J. S. Bruner. The conditions of creativity. In *Contemporary approaches to creative thinking: A symposium held at the University of Colorado*, pages 1–30. Atherton Press, 1962.
- S. Bubeck, V. Chandrasekaran, R. Eldan, J. Gehrke, E. Horvitz, E. Kamar, P. Lee, Y. T. Lee, Y. Li, S. Lundberg, et al. Sparks of Artificial General Intelligence: Early experiments with GPT-4, 2023. arXiv:2303.12712 [cs.CL].
- R. C. Bunescu and O. O. Uduehi. Learning to surprise: A composer-audience architecture. In *Proceedings of the 10th International Conference on Computational Creativity (ICCC'19)*, pages 41–48, 2019.
- A. Calderwood, V. Qiu, K. I. Gero, and L. B. Chilton. How novelists use generative language models: An exploratory user study. In *Proceedings of the IUI'20 Workshop on Human-AI Co-Creation with Generative Models*, 2020.
- T. Chakrabarty, V. Padmakumar, and H. He. Help me write a poem: Instruction tuning as a vehicle for collaborative poetry writing. In *Proceedings of the AAAI-23 Workshop on Creative AI Across Modalities*, 2023.
- D. J. Chalmers. The Conscious Mind: In Search of a Fundamental Theory. Oxford University Press, 1996.
- K. Cho, B. van Merrienboer, D. Bahdanau, and Y. Bengio. On the properties of neural machine translation: Encoder-decoder approaches. In *Proceedings of SSST-8, 8th Workshop on Syntax, Semantics and Structure in Statistical Translation*, pages 103–111, 2014.
- A. Chowdhery, S. Narang, J. Devlin, M. Bosma, G. Mishra, A. Roberts, P. Barham, H. W. Chung, C. Sutton, S. Gehrmann, P. Schuh, K. Shi, S. Tsvyashchenko, J. Maynez, A. Rao, P. Barnes, Y. Tay, N. Shazeer, V. Prabhakaran, E. Reif, N. Du, B. Hutchinson, R. Pope, J. Bradbury, J. Austin, M. Isard, G. Gur-Ari, P. Yin, T. Duke, A. Levskaya, S. Ghemawat, S. Dev, H. Michalewski, X. Garcia, V. Misra, K. Robinson, L. Fedus, D. Zhou, D. Ippolito, D. Luan, H. Lim, B. Zoph, A. Spiridonov,

- R. Sepassi, D. Dohan, S. Agrawal, M. Omernick, A. M. Dai, T. S. Pillai, M. Pellat, A. Lewkowycz, E. Moreira, R. Child, O. Polozov, K. Lee, Z. Zhou, X. Wang, B. Saeta, M. Diaz, O. Firat, M. Catasta, J. Wei, K. Meier-Hellstern, D. Eck, J. Dean, S. Petrov, and N. Fiedel. PaLM: Scaling language modeling with pathways, 2022. arXiv:2204.02311 [cs.CL].
- S. Colton and G. A. Wiggins. Computational creativity: The final frontier? In *Proceedings of the 20th European Conference on Artificial Intelligence (ECAI'12)*, volume 12, pages 21–26, 2012.
- E. Crothers, N. Japkowicz, and H. Viktor. Machine generated text: A comprehensive survey of threat models and detection methods, 2022. arXiv:2210.07321 [cs.CL].
- M. Csikszentmihalyi. Society, culture, and person: A systems view of creativity. In *The nature of creativity: Contemporary psychological perspectives*, pages 325–339. Cambridge University Press, 1988.
- S. Dathathri, A. Madotto, J. Lan, J. Hung, E. Frank, P. Molino, J. Yosinski, and R. Liu. Plug and play language models: A simple approach to controlled text generation. In *Proceedings of the 8th International Conference on Learning Representations (ICLR'20)*, 2020.
- E. L. Deci and R. M. Ryan. *Intrinsic Motivation and Self-Determination in Human Behavior*. Springer, 1985.
- N. Dehouche. Plagiarism in the age of massive generative pre-trained transformers (GPT-3). *Ethics in Science and Environmental Politics*, 21:17–23, 2021.
- J.-M. Deltorn. Deep creations: Intellectual property and the automata. *Frontiers in Digital Humanities*, 4(3):1–13, 2017.
- J. Devlin, M.-W. Chang, K. Lee, and K. Toutanova. BERT: Pre-training of deep bidirectional transformers for language understanding. In *Proceedings of the 2019 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, Volume 1 (Long and Short Papers) (NAACL'19)*, pages 4171–4186, 2019.
- N. Du, Y. Huang, A. M. Dai, S. Tong, D. Lepikhin, Y. Xu, M. Krikun, Y. Zhou, A. W. Yu, O. Firat, B. Zoph, L. Fedus, M. Bosma, Z. Zhou, T. Wang, Y. E. Wang, K. Webster, M. Pellat, K. Robinson, K. Meier-Hellstern, T. Duke, L. Dixon, K. Zhang, Q. V. Le, Y. Wu, Z. Chen, and C. Cui. GLaM: Efficient scaling of language models with mixture-of-experts. In *Proceedings of the 39th International Conference on Machine Learning (ICML'22)*, pages 5547–5569, 2022.
- E. Eisenstein. *The Printing Press as an Agent of Change: Communications and Cultural Transformations in Early-Modern Europe.* Cambridge University Press, Cambridge, United Kingdom, 1979.
- L. Floridi and M. Chiriatti. GPT-3: Its nature, scope, limits, and consequences. *Minds and Machines*, 30(4):681–694, 2020.
- G. Franceschelli and M. Musolesi. Creativity and machine learning: A survey, 2021. arXiv:2104.02726 [cs.LG].
- G. Franceschelli and M. Musolesi. Copyright in generative deep learning. *Data & Policy*, 4:e17, 2022.

- B. Gaut. Creativity and imagination. In *The Creation of Art: New Essays in Philosophical Aesthetics*, pages 148–173. Cambridge University Press, 2003.
- B. Gaut. The philosophy of creativity. *Philosophy Compass*, 5(12):1034–1046, 2010.
- K. I. Gero, V. Liu, and L. Chilton. Sparks: Inspiration for science writing using language models. In *Proceedings of the 2022 Designing Interactive Systems Conference (DIS'22)*, page 1002–1019, 2022.
- D. J. Gervais. Feist goes global: A comparative analysis of the notion of originality in copyright law. *Journal of the Copyright Society of the U.S.A.*, 49:949–981, 2002.
- P. Gervás. Computational modelling of poetry generation. In *Symposium on Artificial Intelligence and Poetry (AISB'13)*, pages 11–16, 2013.
- GPT-3, A. O. Thunström, and S. Steingrimsson. Can GPT-3 write an academic paper on itself, with minimal human input?, 2022. https://hal.archives-ouvertes.fr/hal-03701250v1.
- A. Grinbaum and L. Adomaitis. The ethical need for watermarks in machine-generated language, 2022. arXiv:2209.03118 [cs.CL].
- A. Guadamuz. Do androids dream of electric copyright? comparative analysis of originality in artificial intelligence generated works. *Intellectual Property Quarterly*, 2017.
- S. Hochreiter and J. Schmidhuber. Long short-term memory. Neural Computation, 9(8):1735–178, 1997.
- E. Hoel. The banality of ChatGPT, 2022. https://erikhoel.substack.com/p/the-banality-of-chatgpt [Retrieved on January 26, 2023].
- J. Hoffmann, S. Borgeaud, A. Mensch, E. Buchatskaya, T. Cai, E. Rutherford, D. de Las Casas, L. A. Hendricks, J. Welbl, A. Clark, T. Hennigan, E. Noland, K. Millican, G. van den Driessche, B. Damoc, A. Guy, S. Osindero, K. Simonyan, E. Elsen, J. W. Rae, O. Vinyals, and L. Sifre. Training compute-optimal large language models. In *Advances in Neural Information Processing Systems (NIPS'22)*, 2022.
- D. Ippolito, A. Yuan, A. Coenen, and S. Burnam. Creative writing with an ai-powered writing assistant: Perspectives from professional writers, 2022. arXiv:2211.05030 [cs.HC].
- A. K. Jordanous. Evaluating machine creativity. In *Proceedings of the Seventh ACM Conference on Creativity and Cognition (C&C'09)*, page 331–332, 2009.
- D. Jurafsky and J. H. Martin. Speech and Language Processing. Third (draft) edition, 2023.
- A. Karpathy. The unreasonable effectiveness of recurrent neural networks, 2015. http://karpathy.github.io/2015/05/21/rnn-effectiveness/[Retrieved on August 5, 2020].
- J. Kirchenbauer, J. Geiping, Y. Wen, J. Katz, I. Miers, and T. Goldstein. A watermark for large language models, 2023. arXiv:2301.10226 [cs.LG].

- J. Kirkpatrick, R. Pascanu, N. Rabinowitz, J. Veness, G. Desjardins, A. A. Rusu, K. Milan, J. Quan, T. Ramalho, A. Grabska-Barwinska, D. Hassabis, C. Clopath, D. Kumaran, and R. Hadsell. Overcoming catastrophic forgetting in neural networks. *Proceedings of the National Academy of Sciences*, 114(13):3521–3526, 2017.
- M. Lebowitz. Creating a story-telling universe. In *Proceedings of the 8th International Joint Conference on Artificial Intelligence (IJCAI'83)*, page 63–65, 1983.
- H. H. Lee, K. Shu, P. Achananuparp, P. K. Prasetyo, Y. Liu, E.-P. Lim, and L. R. Varshney. RecipeGPT: Generative pre-training based cooking recipe generation and evaluation system. In *Companion Proceedings of the Web Conference* 2020 (WWW'20), page 181–184, 2020.
- M. Lee, P. Liang, and Q. Yang. CoAuthor: Designing a human-ai collaborative writing dataset for exploring language model capabilities. In *Proceedings of the 2022 CHI Conference on Human Factors in Computing Systems (CHI'22)*, pages 1–19, 2022.
- P. Liang, R. Bommasani, T. Lee, D. Tsipras, D. Soylu, M. Yasunaga, Y. Zhang, D. Narayanan, Y. Wu, A. Kumar, B. Newman, B. Yuan, B. Yan, C. Zhang, C. Cosgrove, C. D. Manning, C. Ré, D. Acosta-Navas, D. A. Hudson, E. Zelikman, E. Durmus, F. Ladhak, F. Rong, H. Ren, H. Yao, J. Wang, K. Santhanam, L. Orr, L. Zheng, M. Yuksekgonul, M. Suzgun, N. Kim, N. Guha, N. Chatterji, O. Khattab, P. Henderson, Q. Huang, R. Chi, S. M. Xie, S. Santurkar, S. Ganguli, T. Hashimoto, T. Icard, T. Zhang, V. Chaudhary, W. Wang, X. Li, Y. Mai, Y. Zhang, and Y. Koreeda. Holistic evaluation of language models, 2022. arXiv:2211.09110 [cs.CL].
- L. Macedo, R. Reisenzein, and A. Cardoso. Modeling forms of surprise in artificial agents: empirical and theoretical study of surprise functions. In *Proceedings of the Annual Meeting of the Cognitive Science Society (CogSci'04)*, pages 873–878, 2004.
- M. L. Maher. Evaluating creativity in humans, computers, and collectively intelligent systems. In *Proceedings of the 1st DESIRE Network Conference on Creativity and Innovation in Design (DE-SIRE'10)*, page 22–28, 2010.
- R. Manurung, G. Ritchie, and H. Thompson. Using genetic algorithms to create meaningful poetic text. *Journal of Experimental & Theoretical Artificial Intelligence*, 24(1):43–64, 2012.
- L. J. Martin, P. Ammanabrolu, W. Hancock, S. Singh, B. Harrison, and M. O. Riedl. Event representations for automated story generation with deep neural nets. In *Proceedings of the 32nd AAAI Conference on Artificial Intelligence and 30th Innovative Applications of Artificial Intelligence Conference and 8th AAAI Symposium on Educational Advances in Artificial Intelligence (AAAI'18/IAAI'18/EAAI'18)*, 2018.
- R. T. McCoy, P. Smolensky, T. Linzen, J. Gao, and A. Celikyilmaz. How much do language models copy from their training data? evaluating linguistic novelty in text generation using RAVEN, 2021. arXiv:2111.09509 [cs.CL].
- J. R. Meehan. TALE-SPIN, an interactive program that writes stories. In *Proceedings of the 5th International Joint Conference on Artificial Intelligence (IJCAI'77)*, pages 91–98, 1977.
- L. F. Menabrea and A. Lovelace. Sketch of the analytical engine invented by charles babbage. In *Scientific Memoirs*, volume 3, pages 666–731. Richard and John E. Taylor, 1843.

- A. I. Miller. *The Artist in the Machine*. The MIT Press, 2019.
- P. Mirowski, K. W. Mathewson, J. Pittman, and R. Evans. Co-writing screenplays and theatre scripts alongside language models using Dramatron. In *Proceedings of the NIPS'22 Workshop on ML for Creativity & Design*, 2022.
- A. Newell, J. C. Shaw, and H. A. Simon. The processes of creative thinking. In *Contemporary approaches to creative thinking: A symposium held at the University of Colorado*, pages 63–119. Atherton Press, 1962.
- A. Newton and K. Dhole. Is AI art another industrial revolution in the making? In *Proceedings of the AAAI-23 Workshop on Creative AI Across Modalities*, 2023.
- OpenAI. GPT-4 Technical Report, 2023. https://cdn.openai.com/papers/gpt-4.pdf.
- R. Pardinas, G. Huang, D. Vazquez, and A. Piché. Leveraging human preferences to master poetry. In *Proceedings of the AAAI-23 Workshop on Creative AI Across Modalities*, 2023.
- P. Potash, A. Romanov, and A. Rumshisky. GhostWriter: Using an LSTM for automatic rap lyric generation. In *Proceedings of the 2015 Conference on Empirical Methods in Natural Language Processing (EMNLP'15)*, pages 1919–1924, 2015.

Racter. The Policeman's Beard Is Half Constructed. Warner Books, Inc., 1984.

- A. Radford, J. Wu, R. Child, D. Luan, D. Amodei, and I. Sutskever. Language models are unsupervised multitask learners, 2019.
- J. W. Rae, S. Borgeaud, T. Cai, K. Millican, J. Hoffmann, F. Song, J. Aslanides, S. Henderson, R. Ring, S. Young, E. Rutherford, T. Hennigan, J. Menick, A. Cassirer, R. Powell, G. van den Driessche, L. A. Hendricks, M. Rauh, P.-S. Huang, A. Glaese, J. Welbl, S. Dathathri, S. Huang, J. Uesato, J. Mellor, I. Higgins, A. Creswell, N. McAleese, A. Wu, E. Elsen, S. Jayakumar, E. Buchatskaya, D. Budden, E. Sutherland, K. Simonyan, M. Paganini, L. Sifre, L. Martens, X. L. Li, A. Kuncoro, A. Nematzadeh, E. Gribovskaya, D. Donato, A. Lazaridou, A. Mensch, J.-B. Lespiau, M. Tsimpoukelli, N. Grigorev, D. Fritz, T. Sottiaux, M. Pajarskas, T. Pohlen, Z. Gong, D. Toyama, C. de Masson d'Autume, Y. Li, T. Terzi, V. Mikulik, I. Babuschkin, A. Clark, D. de Las Casas, A. Guy, C. Jones, J. Bradbury, M. Johnson, B. Hechtman, L. Weidinger, I. Gabriel, W. Isaac, E. Lockhart, S. Osindero, L. Rimell, C. Dyer, O. Vinyals, K. Ayoub, J. Stanway, L. Bennett, D. Hassabis, K. Kavukcuoglu, and G. Irving. Scaling language models: Methods, analysis & insights from training gopher, 2021. arXiv:2112.11446 [cs.CL].
- C. Raffel, N. Shazeer, A. Roberts, K. Lee, S. Narang, M. Matena, Y. Zhou, W. Li, and P. J. Liu. Exploring the limits of transfer learning with a unified text-to-text transformer. *Journal of Machine Learning Research*, 21(140):1–67, 2020.
- H. Rashkin, A. Celikyilmaz, Y. Choi, and J. Gao. PlotMachines: Outline-conditioned generation with dynamic plot state tracking. In *Proceedings of the 2020 Conference on Empirical Methods in Natural Language Processing (EMNLP'20)*, pages 4274–4295, 2020.
- L. Reynolds and K. McDonell. Multiversal views on language models, 2021. arXiv:2102.06391 [cs.HC].

- M. Rhodes. An analysis of creativity. *The Phi Delta Kappan*, 42(7):305–310, 1961.
- M. O. Riedl. Computational creativity as meta search, 2018. https://mark-riedl.medium.com/computational-creativity-as-meta-search-6cad95da923b [Retrieved on January 27, 2023].
- M. O. Riedl and R. M. Young. Narrative planning: Balancing plot and character. *Journal of Artificial Intelligence Research*, 39(1):217–268, 2010.
- G. Ritchie. Some empirical criteria for attributing creativity to a computer program. *Minds and Machines*, 17:67–99, 2007.
- C. Rosset. Turing-NLG: A 17-billion-parameter language model by microsoft, 2020. https://www.microsoft.com/en-us/research/blog/turing-nlg-a-17-billion-parameter-language-model-by-microsoft/ [Retrieved on May 3, 2022].
- P. Sawicki, M. Grzés, A. Jordanous, D. Brown, and M. Peeperkorn. Training GPT-2 to represent two romantic-era authors: challenges, evaluations and pitfalls. In *Proceedings of the 3th International Conference on Computational Creativity (ICCC'22)*, 2022.
- S. Semeniuta, A. Severyn, and E. Barth. A hybrid convolutional variational autoencoder for text generation. In *Proceedings of the 2017 Conference on Empirical Methods in Natural Language Processing (EMNLP'17)*, pages 627–637, 2017.
- M. Shanahan. Talking about large language models, 2022. arXiv:2212.03551 [cs.CL].
- H. Shin, J. K. Lee, J. Kim, and J. Kim. Continual learning with deep generative replay. In *Advances in Neural Information Processing Systems (NIPS'17)*, 2017.
- M. Shoeybi, M. Patwary, R. Puri, P. LeGresley, J. Casper, and B. Catanzaro. Megatron-LM: Training multi-billion parameter language models using model parallelism, 2019. arXiv:1909.08053 [cs.CL].
- E. Silva. How photography pioneered a new understanding of art, 2022. https://www.thecollector.com/how-photography-transformed-art/[Retrieved on February 10, 2023].
- S. Smith, M. Patwary, B. Norick, P. LeGresley, S. Rajbhandari, J. Casper, Z. Liu, S. Prabhumoye, G. Zerveas, V. Korthikanti, E. Zhang, R. Child, R. Y. Aminabadi, J. Bernauer, X. Song, M. Shoeybi, Y. He, M. Houston, S. Tiwary, and B. Catanzaro. Using DeepSpeed and megatron to train megatron-turing NLG 530b, a large-scale generative language model, 2022. arXiv:2201.11990 [cs.CL].
- M. I. Stein. Stimulating Creativity. Volume 1. Academic Press, 1974.
- C. Stevenson, I. Smal, M. Baas, R. Grasman, and H. van der Maas. Putting GPT-3's creativity to the (alternative uses) test. In *Proceedings of the 13th International Conference on Computational Creativity (ICCC'22)*, 2022.
- N. Stiennon, L. Ouyang, J. Wu, D. Ziegler, R. Lowe, C. Voss, A. Radford, D. Amodei, and P. F. Christiano. Learning to summarize with human feedback. In *Advances in Neural Information Processing Systems (NIPS'20)*, pages 3008–3021, 2020.

- F.-K. Sun, C.-H. Ho, and H.-Y. Lee. LAMOL: LAnguage MOdeling for Lifelong Language Learning. In *Proceedings of the 2020 International Conference on Learning Representations (ICLR'20)*, 2020.
- B. Swanson, K. Mathewson, B. Pietrzak, S. Chen, and M. Dinalescu. Story centaur: Large language model few shot learning as a creative writing tool. In *Proceedings of the 16th Conference of the European Chapter of the Association for Computational Linguistics: System Demonstrations (EACL'21)*, pages 244–256, 2021.
- A. Tamkin, M. Brundage, J. Clark, and D. Ganguli. Understanding the capabilities, limitations, and societal impact of large language models, 2021. arXiv:2102.02503 [cs.CL].
- R. Thoppilan, D. De Freitas, J. Hall, N. Shazeer, A. Kulshreshtha, H.-T. Cheng, A. Jin, T. Bos, L. Baker, Y. Du, Y. Li, H. Lee, H. S. Zheng, A. Ghafouri, M. Menegali, Y. Huang, M. Krikun, D. Lepikhin, J. Qin, D. Chen, Y. Xu, Z. Chen, A. Roberts, M. Bosma, V. Zhao, Y. Zhou, C.-C. Chang, I. Krivokon, W. Rusch, M. Pickett, P. Srinivasan, L. Man, K. Meier-Hellstern, M. R. Morris, T. Doshi, R. D. Santos, T. Duke, J. Soraker, B. Zevenbergen, V. Prabhakaran, M. Diaz, B. Hutchinson, K. Olson, A. Molina, E. Hoffman-John, J. Lee, L. Aroyo, R. Rajakumar, A. Butryna, M. Lamm, V. Kuzmina, J. Fenton, A. Cohen, R. Bernstein, R. Kurzweil, B. Aguera-Arcas, C. Cui, M. Croak, E. Chi, and Q. Le. LaMDA: Language models for dialog applications, 2022. arXiv:2201.08239 [cs.CL].
- A. M. Turing. Computing machinery and intelligence. Mind, LIX(236):433–460, 1950.
- S. R. Turner. *The Creative Process: A Computer Model of Creativity and Storytelling*. Lawrence Erlbaum Associates, Inc, Hillsdale, NJ, 1994.
- A. Vaswani, N. Shazeer, N. Parmar, J. Uszkoreit, L. Jones, A. N. Gomez, L. Kaiser, and I. Polosukhin. Attention is all you need. In *Advances in Neural Information Processing Systems (NIPS'17)*, 2017.
- T. Waite. Ai-generated artworks are disappointing at auction, 2019. https://www.dazeddigital.com/art-photography/article/46839/1/ai-generated-artworks-disappointing-at-auction-obvious-artificial-intelligence [Retrieved on January 26, 2023].
- L. Weidinger, J. Uesato, M. Rauh, C. Griffin, P.-S. Huang, J. Mellor, A. Glaese, M. Cheng, B. Balle, A. Kasirzadeh, C. Biles, S. Brown, Z. Kenton, W. Hawkins, T. Stepleton, A. Birhane, L. A. Hendricks, L. Rimell, W. Isaac, J. Haas, S. Legassick, G. Irving, and I. Gabriel. Taxonomy of risks posed by language models. In *Proceedings of the 2022 ACM Conference on Fairness, Accountability, and Transparency (FAccT'22)*, page 214–229, 2022.
- L. Wertz and J. Kuhn. Adapting transformer language models for application in computational creativity: Generating german theater plays with varied topics. In *Proceedings of the 13th International Conference on Computational Creativity (ICCC'22)*, 2022.
- G. A. Wiggins. A preliminary framework for description, analysis and comparison of creative systems. *Knowledge-Based Systems*, 19(7):449–458, 2006.
- T. Wu, M. Caccia, Z. Li, Y.-F. Li, G. Qi, and G. Haffari. Pretrained language model in continual learning: A comparative study. In *Proceedings of the 2022 International Conference on Learning Representations (ICLR'22)*, 2022.

- L. Yu, W. Zhang, J. Wang, and Y. Yu. SeqGAN: Sequence generative adversarial nets with policy gradient. In *Proceedings of the 31st AAAI Conference on Artificial Intelligence (AAAI'17)*, page 2852–2858, 2017.
- Y. Zhang, Z. Gan, K. Fan, Z. Chen, R. Henao, D. Shen, and L. Carin. Adversarial feature matching for text generation. In *Proceedings of the 34th International Conference on Machine Learning (ICML'17)*, page 4006–4015, 2017.
- D. M. Ziegler, N. Stiennon, J. Wu, T. B. Brown, A. Radford, D. Amodei, P. Christiano, and G. Irving. Fine-tuning language models from human preferences, 2019. arXiv:1909.08593 [cs.CL].
- A. Zugarini, S. Melacci, and M. Maggini. Neural Poetry: Learning to Generate Poems Using Syllables. In *Proceedings of the 2019 International Conference on Artificial Neural Networks (ICANN'19)*, pages 313–325, 2019.